




琉璃瓦屋面板




压型钢板型号 TYPE	YX33-193-772		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	772		
展开宽度 (mm) FEEDING WIDTH	914		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	17.42	20.49	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	10.41	12.49	ROOF PROFILE




压型钢板型号 TYPE	YX35-185-740		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	740		
展开宽度 (mm) FEEDING WIDTH	914		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	16.2	19.22	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	9.41	11.48	ROOF PROFILE




压型钢板型号 TYPE	YX36-208-830/1037		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	830/1037		
展开宽度 (mm) FEEDING WIDTH	1000/1250		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	19.02	22.37	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	10.42	12.25	ROOF PROFILE




压型钢板型号 TYPE	YX80-360-720		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	720		
展开宽度 (mm) FEEDING WIDTH	1080		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	15.61	13.75	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	17.53	14.93	ROOF PROFILE




压型钢板型号 TYPE	YX28-205-820		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	820		
展开宽度 (mm) FEEDING WIDTH	1000		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	13.25	15.53	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	10.16	11.95	ROOF PROFILE



压型钢板型号 TYPE	YX27-202-808		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	808		
展开宽度 (mm) FEEDING WIDTH	1000		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	14.27	16.78	STEP TILE
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	8.92	10.5	ROOF PROFILE




压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX27-196-980	980	1200	0.4-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE




压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX23-183.3-1100	1100	1250	0.4-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE


琉璃瓦屋面板




压型钢板型号 TYPE	YX16.8-200-800	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	800	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	914	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号 TYPE	YX30-164-820	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	820	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1000	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号 TYPE	YX30-246-738/984	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	738/984	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	914/1220	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号 TYPE	YX36-210-840	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	840	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1000	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号 TYPE	YX35-175-1050	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	1050	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1220	
板厚 (mm) THICKNESS	0.4-0.6	



压型钢板型号 TYPE	YX40-205-1024	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	1024	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1250	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX40-166.7-1000	1000	1250	0.4-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE




压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
冲压式琉璃瓦 YX17-187-1310 PRESS FORMING TILE ROOF PANEL	1310	1422	0.5-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE


琉璃瓦屋面板




压型钢板型号TYPE	YX28-176-704	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	704	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	914	
板厚 (mm) THICKNESS	0.6	




压型钢板型号TYPE	YX33-193-965	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	965	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1140	
板厚 (mm) THICKNESS	0.6	




压型钢板型号TYPE	YX35-260-1040	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	1040	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1250	
板厚 (mm) THICKNESS	0.4	




压型钢板型号TYPE	YX30-192-960	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	960	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1200	
板厚 (mm) THICKNESS	0.4-0.6	




压型钢板型号TYPE	YX38-200-1000	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	1000	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1219	
板厚 (mm) THICKNESS	0.4-0.6	



压型钢板型号TYPE	YX44-230-920	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	920	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1200	
板厚 (mm) THICKNESS	0.6	




压型钢板型号TYPE	YX43-200-1000	用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	1000	琉璃瓦屋面板 STEP TILE ROOF PROFILE
展开宽度 (mm) FEEDING WIDTH	1250	
板厚 (mm) THICKNESS	0.4	




压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
冲压式琉璃瓦YX17-187-1309 PRESS FORMING TILE ROOF PANEL	1309	1440	0.5-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE


琉璃瓦屋面板




压型钢板型号 TYPE	YX27-206-825		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	825		
展开宽度 (mm) FEEDING WIDTH	1000		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	12.59	15.71	
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	10.45	13.33	




压型钢板型号 TYPE	YX37-253-760		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	760		
展开宽度 (mm) FEEDING WIDTH	914		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	10.32	13.11	
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	8.74	11.35	




压型钢板型号 TYPE	YX31.5-188-752		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	752		
展开宽度 (mm) FEEDING WIDTH	914		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	16.61	19.53	
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	10.38	12.2	




压型钢板型号 TYPE	YX28-207-828		用途 APPLICATION
有效覆盖宽度 (mm) EFFECT WIDTH	828		
展开宽度 (mm) FEEDING WIDTH	1000		
板厚 (mm) THICKNESS	0.5	0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE
截面惯性矩 (cm ⁴ /m) SECTION INERTIA	14.8	17.76	
截面抵抗矩 (cm ³ /m) SECTION RESISTANC	12.32	14.76	



压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX35-192-960	960	1220	0.5-0.8	琉璃瓦屋面板 STEP TILE ROOF PROFILE



压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX25-200-1000	1000	1220	0.4-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE



压型钢板型号 TYPE	有效覆盖宽度 (mm) EFFECT WIDTH	展开宽度 (mm) FEEDING WIDTH	板厚 (mm) THICKNESS	用途 APPLICATION
YX38-200-1000	1000	1250	0.4-0.6	琉璃瓦屋面板 STEP TILE ROOF PROFILE